

Docu EAST - [default.wsp:1]

File View Edit Tools Window Help

File Edit

Normal

Snagit

Consol

Create

Application

Drafts

Pending

Active

L1: (384097) "4" adj "2" or four to two

L2: (2146382) carry adj save or csa\$1 or compress\$3 or adder\$1

L3: (650) 1 adj5 2

L4: (554759) "3" adj "2" or three to two

L5: (8199) (4 or full) adj 2

L6: (54947) ("4" or four) adj input\$1

L7: (72468) ("3" or three) adj input\$1

L8: (1085) 6 adj3 2 or 3

L9: (8753) 7 adj 2 or 5

L10: (157) 8 same 9

L11: (1020) clock\$1 same 9

L12: (26) 10 and 11

L13: (35) 8.ti.

L14: (10) 13 and 9

L15: (23) 8.ab. and 9 not 13

L16: (25) 13 not 14

L17: (75) clock\$1 and 10

L19: (1) domino and 18

L18: (47) 17 not (12 or 13 or 15)

L20: (50423) clock\$1 near5 delay\$3

L21: (32) 8 and 9 and 20

L22: (4) ("3340388").PN.

L23: (2) ("6466960").PN.

L24: (2) ("6496846").PN.

Failed

("4"adj"2"orfouraditwo").PN.

Search

List

Browse

Queue

Clear

DBs

US-PGPUB;USPAT;USOCR;EPO;JPO;DERWENT;IBM_TD

Default operator:

OR

☒ Highlight all hit terms initially

6496846

BRS form

S&R form

Image

Text

HTML

U

1

Document ID

Issue Date

Pages

Title

Current OR

Current XRef

Retrieval CI

Inventor

1

☐

☐

US 6496846 B1

20021217

9

Conditional carry encoding for carry select adder

708/710

708/711

Bradley; Douglas H.

2

☒

☐

US 6496846 B

20021217

9

Binary addition performing method involves representing carry in for operand bits, as

BRADLEY, D H

Hits

Details

HTML

Ready

NUM

Draw

Page

SN

AE

LT

CD


PRE

EXT

OW

English (U.S.)

Best Available Copy



BEST AVAILABLE COPY